

WORLD INTELLECTUAL PROPERTY ORGANIZATION





	intern	ational Bureau		
INTERNATIONAL APPLICATION PUBLISH	HED I	UNDER THE PATENT COOPERATION	TREATY (PCT)	
(51) International Patent Classification 7:		(11) International Publication Number:	WO 00/27115	
H04N 7/088	A1	(43) International Publication Date:	11 May 2000 (11.05.00)	
(21) International Application Number: PCT/HU9 (22) International Filing Date: 3 November 1999 (0		DK, EE, ES, FI, GB, HR, HU, IL	L, LU, NO, NZ, PL, PT, atent (AT, BE, CH, CY,	
(30) Priority Data: P 9802519 3 November 1998 (03.11.98	.) I -	Published With international search report.		
(71)(72) Applicants and Inventors: DROZDY, Győző [Gébics u. 6/a, H-1124 Budapest (HU). KOCSIS [HU/HU]; Hosszú u. 41/b, H-1203 Budapest (HU	S, Tam	J]; Before the expiration of the time	limit for amending the he event of the receipt of	


(74) Agent: GÖDÖLLE, KÉKES, MÉSZÁROS & SZABÓ; Keleti Károly u. 13/b, H-1024 Budapest (HU).

> > BEST AVAILABLE COPY

(54) Title: METHOD FOR DIGITALLY TRANSFERRING SHORT TEXT MESSAGE (SMS) TO TELETEXT PAGE

(57) Abstract

Method for digital transferring short text messages (SMS) to the teletext pages associated with television broadcasting, in the course of which the short message is forwarded to the short message service centre (3) of a mobile telephone network, the short text message (SMS) is forwarded from the short message service centre (3) to a processing unit (5) in which it is converted to a format corresponding to the relevant teletext system, and the message (SMS) so processed is entered into the address range assigned to the message (SMS) in the teletext.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		•
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		



METHOD FOR DIGITALLY TRANSFERRING SHORT TEXT MESSAGE (SMS) TO TELETEXT PAGE

Technical Field

The subject of the invention is a method for digitally transferring short text messages (SMS) to teletext pages associated with television broadcasting, in the course of which the short message is forwarded to the short message service centre of a mobile telephone network.

Background Art

It is well known that through mobile telephone networks, for example through the well known GSM telephone system, short text messages can be sent, primarily to a mobile station (the unit of a telephone set and a SIM card) of a mobile telephone subscriber. Short text messages can be typed into the mobile stations, which are then transferred, at the time of forwarding the message, to a Short Message Service Centre (SMSC) whence the messages are transmitted to the desired mobile station. It is also well known further, that television programmes can be accompanied by text information, for example in the system known as teletext. This information comprises texts processed by a computer at the editing centre into pages or address ranges according to subjects, and these texts are added on the transmitter side to the television signal, so that they would appear on the screens of television sets on the receiver side.

The television programme directors frequently expect viewers to provide a feedback about the relevant television programme and the viewers themselves intend to forward their comments and opinions to the programme directors, and often wish their opinion to become public. These feedbacks may be given to the programme directors conventionally by mail or phone, and recently through the Internet. The feedback provided by mail is slow and unreliable. By phone, in most cases it is

impossible to contact the managers of the programme, due to the overloaded lines. The viewer does not necessarily have Internet availability, at the same time the process is hardware-intensive, and so access is difficult.

Disclosure of Invention

The purpose of the invention is to provide a solution by means of which the viewers' opinions and comments can be forwarded simply, rapidly and reliably to the programme directors and also to the general public.

We have recognised that for the purpose above the SMS (Short Message System) applied in the mobile telephone network and the teletext system accompanying a television broadcast can be adequately combined by means of the method according to the invention, the essential feature of which is that the required information is forwarded in the well known way in the form of a short text message to the short message service centre of a mobile telephone network, and according to the invention from the short message service centre it is transferred to a processing unit, in which the message is converted to the format (protocol) corresponding to the relevant teletext system. Next, the message so processed (SMS) is entered into the address range assigned to the message (SMS) in the teletext.

The advantage of this procedure is that it is fast, and it is practically received immediately by the teletext editor computer. In the processing unit, the SMS transmission protocol of the mobile telephone network is converted into the protocol of the respective teletext system.

A possible realisation of the method is that the short text message (SMS) is forwarded from the short message service centre through a data transmission line to the processing unit. In this method, there is a direct contact between the short message service centre of the mobile telephone network and the teletext editor computer.

According to another possible option, the short message (SMS) is transferred from the short message service centre through a mobile station, and then through its digital output to the processing unit. In this version there is no direct contact between the short message service centre and the teletext editor computer; the transmission is carried out through a mobile station.



Of course, the two data transfer variations can be used simultaneously, i.e. in addition to the data transmission line data transfer of short text messages can be carried out together by means of mobile stations.

The messages (SMS) received by the processing unit are stored, and then the stored messages are entered into the assigned address range of the teletext. One advantage of storing the message is that eventually congested messages can be received after queuing, and from there they can be edited to the teletext pages one by one. A further advantage is represented by the possibility of logging or archiving on the basis of the stored data, in order to retrieve certain messages later.

The stored messages are preferably displayed and checked by means of a computer, and only the approved messages allowed to be entered in the assigned address range of the teletext. In this way the incoming text messages can be checked for example from the aspect of excluding strong language.

It is also possible to attach additional digital text to the messages entered in the assigned address range of the teletext. In this way, short answers can be added to the various messages or for example messages rejected on course of the control and not introduced into the teletext can be shortly marked.

In order to make sure that the various short text messages can be well distinguished from each other or from the additional messages on the screen where the teletext is displayed, different colour information is attached to the sequential messages forwarded to the assigned address range of the teletext and to the attached additional text.

By means of the method according to the invention, not only the viewers' opinions and comments can be attached to the various programmes, but through the teletext screen public chat may also be conducted.

Brief Description of Drawings

A more detailed description of the method according to the invention is given through the implementation examples capicted by way of the following attached drawings as well, where



- Fig. 1 shows the first way of data transfer of a short text message (SMS) through a data transmission line to the computer of the teletext system;
- Fig. 2 shows the second way of data transfer of a short text message (SMS) to the teletext system computer through a mobile station;
- Fig. 3 is the flow chart of converting the short message coming from the mobile telephone network so that it is compatible with the teletext system.

Best Mode for Carrying Out the Invention

Fig. 1 and Fig. 2 show two different simplified ways diagrammatically of forwarding short text messages for editing into a teletext system. In the figures, a short text message (SMS) is sent from the mobile station 1 to the teletext system. In the well known way, this message reaches through the base station 2 the SMSC short message service centre 3 of the mobile telephone network. From this service centre 3, the message can reach the processing unit 5 in two basic ways. The processing unit 5 is a complex unit performing several functions, which will be described more detailed below, in association with Fig. 3.

In the case of the embodiment shown in Fig. 1, the short message service centre 3 is connected through the data transmission line 4 with the processing unit 5. In the arrangement shown in Fig. 2, the SMSC short message service centre 3 is connected through the well known mobile station to the processing unit 5, where from the SMSC short message service centre 3 the message reaches through the base station 10 of the mobile telephone network the mobile station 11 of the teletext editorial office. The mobile station 11 has usually a data output, which can be connected through a line 12 with the processing unit 5.

Of course the SMSC short message service centre 3 of the mobile telephone network can be connected to the processing unit 5 simultaneously in the way shown in Fig. 1 and in the arrangement depicted in Fig. 2

The data processing carried out in the digital processing unit 5 can be followed in the flow chart of Fig. 3. The digital processing unit 5 can be made of well known



parts. Preferably, the digital processing unit 5 is realised by means of a computer with external and/or internal interfaces needed for the implementation.

As it can be seen in the top section of Fig. 3, the message may reach the processing unit 5 in two different ways. On line 12, the message is received from the digital data output of the mobile station 11 as it is shown in Fig. 2, and then this message is subjected to a format conversion in the unit 31, i.e. the digital messages are converted from the mobile telephone network protocol to a computer-oriented binary format. The message so converted is stored in the memory 33, which is practically part of a teletext editor computer.

Similarly, the digital messages transferred through the data transmission line 4 are subjected to a format conversion in the unit 32, and then the so converted messages are also stored in the memory 33.


The further processing of messages so received and stored is optionally continued with the checking of the message 34. This practically means that the stored messages are read one by one from the memory 33, and then displayed on the computer screen. An operator decides whether the relevant message 35 is approved. i.e. whether the relevant message can be sent to the general public in the teletext pages, for example whether the substance of the message excludes strong language, does not contain advertising, etc. When the message 35 is rejected, it is not forwarded to the teletext, while in the case of approval the message 35 is forwarded to the teletext editorial office 38.

The approved messages optionally can be displayed for example on another computer 36, on which the operator may attach an additional message 37 to the message forwarded to the teletext editorial office 38, which additional message 37 is preferably displayed in a different colour. Such a message could be a response of the television programme editor to the viewer's comment.

It is to be noted, that the checking and the approval 35 of the message 34, and the attaching of an additional message (37) can be combined into a single operation carried out on the same computer. In addition, the spell-check of the message can also be performed, and the display format can be edited, for example by making the text justified or centred, the lower case letters can be converted into upper case letters, etc.



- 6 -



Next, the checked and approved message, which is possibly supplemented with an additional message is forwarded to the teletext editor unit 38, where the digital messages are entered into the address range or pages assigned to short text messages in the teletext, preferably with different colours. Next, the finished digital teletext information is added through the line 6 in the well known manner to the television signal 7.

Industrial Applicability

The television signal so generated and supplemented with the digital teletext information is transmitted in the well known way to the television receivers 9 by means of the transmitter 8 shown diagrammatically in Figs. 1 and 2.



CLAIMS

- 1. Method for digital transferring short text messages (SMS) to the teletext pages associated with television broadcasting, in the course of which the short message is forwarded to the short message service centre (3) of a mobile telephone network, characterised in that the short text message (SMS) is forwarded from the short message service centre (3) to a processing unit (5) in which it is converted to a format corresponding to the relevant teletext system, and the message (SMS) so processed is entered into the address range assigned to the message (SMS) in the teletext.
- 2. A method according to Claim 1, **characterised** in that the short message (SMS) is forwarded from the short message service centre (3) through a data transmission line (4) to the processing unit (5).
- 3. A method according to Claim 1, **characterised** in that the short message (SMS) is forwarded from the short message service centre (3) through a mobile station (11) and then through its digital output (12) to the processing unit (5).
- 4. A method according to any of the preceding Claims. **characterised** in that the messages (SMS) received by the processing unit (5) are first stored (33) and then the stored messages are entered in the assigned address range of the teletext.
- 5. A method according to Claim 4, **characterised** in that the stored messages are displayed and checked (34), and only the approved (35) messages are entered in the assigned address range of the teletext.
- 6. A method according to Claims 4 or 5, **characterised** in that an additional digital text is attached (37) to a message entered in the assigned address range of the teletext.
- 7. A method according to Claim 6, **characterised** in that different colour information is attached to the sequential messages entered in the assigned address range of the teletext and to the attached additional text.





Fig. 1







Fig. 2






Fig. 3

ernational Application No PCT/HU 99/00075

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 H04N7/088					
According to International Patent Classification (IPC) or to both national classification and IPC					
	SEARCHED				
Minimum do IPC 7	ocumentation searched (classification system followed by classification HO4N	on symbols)			
	tion searched other than minimum documentation to the extent that s		rched		
Electronic d	lata base consulted during the international search (name of data ba	se and, where practical, search terms used,			
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT				
Category °	Citation of document, with indication, where appropriate, of the re-	evant passages	Relevant to claim No.		
E	WO 99 63729 A (NET 2 INTERAKTIV / ;LAURITZEN FREDDY (NO)) 9 December 1999 (1999-12-09) page 2, line 30 -page 4, line 34	AS .	1-5		
P,A	EP 0 880 293 A (NEDERLAND PTT) 25 November 1998 (1998-11-25) column 4, line 22 -column 5, line figure 1	≥ 40;	1		
А	GB 2 294 608 A (TELSIS HOLDINGS I 1 May 1996 (1996-05-01) the whole document 	_TD)	1		
Funt	her documents are listed in the continuation of box C.	X Patent family members are listed in	annex.		
° Special ca	ategories of cited documents :				
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international "X" document of particular relevance: the claimed invention					
filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document be considered novel or cannot be considered					
	ent published prior to the international filing date but han the priority date claimed	in the art. "&" document member of the same patent fa	mily		
Date of the	actual completion of the international search	Date of mailing of the international search	ch report		
2	P1 February 2000	29/02/2000			
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer			
	NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo ni, Fax: (+31–70) 340–3016	Beaudoin, O			

Form PCT/ISA/210 (second sheet) (July 1992)

Information on patent family members

rnational Application No PCT/HU 99/00075

	Patent document cited in search repor	t	Publication date	Patent family member(s)	Publication date
	WO 9963729	Α	09-12-1999	NONE	
	EP 0880293	Α	25-11-1998	NONE	
	GB 2294608	Α	01-05-1996	NONE	
1					

Form PCT/ISA/210 (patent family annex) (July 1992)

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)